




# Lighting and Studio Photography

Version 2.0

Matthew Chapman

UNSW Photography Club  
[matthew.chapman@unswphotoclub.org](mailto:matthew.chapman@unswphotoclub.org)



---

## LIGHTING BASICS

Small light sources produce hard shadows

Large light sources produce soft shadows

→ N.B. Distance also affects effective size.

---

## TYPES OF LIGHTING

### Sunlight

- Direct sunlight is hard (point source)
- Sky light is soft

### Tungsten/halogen lighting

- Electricity heats up filament which glows white hot
- Small hard source, but easy to add modifiers to direct light
- High power usage and heat output

### Fluorescent lighting

- Around 5 times more efficient than tungsten
- Complex/unpredictable colour spectrum

---

## TYPES OF LIGHTING

### Flash lighting

- Very short high-intensity flash of light — much brighter than practically achievable with continuous lighting
- Must be synchronised with camera shutter
  - hotshoe or X-sync connector
- Sometimes combined with a continuous **modelling light** to allow the photographer to visualise the lighting

---

## DIRECTION OF LIGHT

From the front:

- no shadows, flat

From above:

- soft light can be useful for fill, like a cloudy sky
- hard light casts harsh shadows downwards

From the side:

- emphasises form and texture

From behind (rim lighting):

- emphasises the outline of the object
- typically use a grid to avoid light hitting the lens directly

---

## SHADOW CONTRAST

A single light produces very deep shadows in areas where it does not reach.

Reducing shadow contrast:

- Add a reflector to bounce light into the shadows
- Move the light further away
- Add a less powerful light to fill in the shadows (fill light)

---

## LIGHT MODIFIERS

We use light modifiers to:

- change the apparent size and shape of a light source
- change the colour of a light source
- control where light falls

Examples of light modifiers:

- umbrella (reflective or shoot-through)
- softbox
- diffusion screen
- snoot
- barndoors
- flag or gobo
- honeycomb grid
- colour gels

---

## EXPOSING FOR FLASH

Maximum shutter speed is the X-sync speed

- Depends on camera, typically around 1/250s
- At faster speeds, the shutter is never fully open, so only part of the frame would be lit by the flash
- Some flash systems have a high-speed sync mode which pulses the flash

No minimum shutter speed

- First-curtain flash: flash fires after shutter opens
- Second-curtain flash: flash fires before shutter closes

Shutter speed has no effect on flash exposure

- Flash much shorter than exposure time
- Instead, aperture controls flash exposure



---

## FLASH QUICK START GUIDE

- Set camera to manual
- Set aperture depending on desired depth of field
- For flash-only exposure:
  - Set shutter speed below X-sync speed (say 1/200s)
  - Set ISO speed as low as possible
- Alternatively, when combining flash with available light:
  - Set shutter speed and ISO speed for desired ambient exposure
- Set flash power to obtain correct exposure (your camera/flash system might do this automatically, but you may need to adjust Flash Exposure Compensation)

---

## COLOUR TEMPERATURE CORRECTION

Daylight colour temperature  $\approx 5500\text{K}$

- Somewhat lower (more orange) at sunrise and sunset
- Somewhat higher (more blue) in shade

Tungsten colour temperature  $\approx 2700\text{K}$

- Much lower (more orange) than daylight

If using one type of light, set **white balance** appropriately.

- If using film, either use correct film or use a filter.

If mixing different types of light, consider placing **colour gel** over one light.

- orange gel (CTO): converts from daylight to tungsten
- blue gel (CTB): converts from tungsten to daylight

---

## PORTRAIT LIGHTING

### Broad lighting

- Key light on camera-facing side of face
- Tends to widen appearance of face

### Short lighting

- Key light on side of face turned away
- Tends to slenderise face

### Butterfly/glamour lighting

- Key light on nose axis
- Flattest lighting, minimises nose